

APPENDIX A

MUNITIONS DATASHEETS

MUNITIONS LIST:


ID	NAME	DATA SHEET
CTT10	AN-Mk 5, AN-Mk 23, AN-Mk 43, PRAC	YES

CTT10

BOMBS, PRACTICE

MINIATURE PRACTICE BOMBS

AN-Mk 5 Mod 1, AN-Mk 23, AN-Mk 43



Description. These bombs are used for low-altitude horizontal, or dive-bombing practice. The three bombs are similar in physical appearance, but differ basically in the metal used to cast the body. Bombs are used with the AN-Mk 4 practice bomb signal that is a blank 10-gauge shotgun shell (extended length). Signals contain a black powder expelling charge and a red phosphorous pyrotechnic mixture. These bombs also are used with the MK5 signal that contains a fluorescein dye and is actuated by impact on water. When the Mk5 signal is installed, the firing pin assembly is not used.

Over-all length	8.25 inches
Body Diameter	2.18 inches
Fin Dimension	2.5 inches
Weight	AN-Mk 5 Mod 1 - 2 lb. 11 oz. \pm 1 oz
	AN-Mk 23 - 3 lb. \pm 2 oz
	AN-Mk 43 - 4 lb. 7 oz. \pm 2 oz.
Signal	AN-Mk 4, Black powder/pyro-Technic charge Mk 5, Fluorescein dye

Reference: OP 1280, *Aircraft Bombs*, February 1945; TM 9-1325-200, *Bombs and Bomb Components*, April 1966

